## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





Fig. 1A




Fig. 1B

WO 02/051986 PCT/TL01/01197




Fig. 2





Fig. 3



**SUBSTITUTE SHEET (RULE 26)** 

WO 02/051986 PCT/IL01/01197

5/12




Fig. 5




Fig. 6

WO 02/051986 PCT/IL01/01197

7/12





Fig. 7






Fig. 8B





Fig. 9

WO 02/051986 PCT/IL01/01197



**SUBSTITUTE SHEET (RULE 26)** 

11/12




Fig. 11




Fig. 12

Figure 13: Glucose Tolerance Time Curves




Figure 14a: MRI fat content (IP-OP)





Figure 14b: MRI SI index (IP-OP/IP)



đ

Figure 15a: AST levels in response to Con-A in the adoptive transfer groups




Figure 15b: ALT in response to Con-A levels in the adoptive transfer groups




Figure 17a: Average MRI hepatic fat content (SI index)- wildtype mice





Figure 17b: Average MRI hepatic fat content (SI index)- ob/ob mice



response to the second of the second

Figure 18a: AST levels in wildtype mice






Figure 18b: AST levels in ob/ob mice



The first with the first

Figure 19: average Anti-HBS titers after vaccination (Miu/ml)HBV vaccination (Miu/ml)



A COLOR DE LA COLO

Figure 20: Effect of Transplantation of NKT Cells on Survival





Figure 21: Effect of Transplantation of NKT Cells on Perifpheral CD4+/CD8+ Ratio



e estera estable elementos de la contrata de la compansión de la compansión de la compansión de la compansión d

Figure 22: Effect of Transplantation of NKT Cells on Liver CD4+/CD8+ Ratio

the Manager specified which places had the specific to the contract of




Figure 23: Effect of Transplantation of NKT Cells On Serum IL-12(pg/ml):

Control of the Contro




Figure 24: Effect of Transplantation of NKT cells on Serum IL-10 (Pg/ml)

